



industry

BRAYT[®]

more than polishing ...



SPEC







BRAYT i01 HIGH GLOSS POLISHING COMPOUND

Polishing compound recommended to use on any kind of painted coatings, including hard and scratch resistant lacquers as ceramic lacquers etc. Suitable to use on fresh (polymerized) and also old coatings. Perfectly works with most commercial available polishing pads (foam, wool). Product doesn't contains fillers or silicone.

unit amount	product number
1 KG	11564



BRAYT i1 STRONG POLISHING COMPOUND

Polishing compound suitable to use on every kind of varnish used in industry sector, including hard scratch resistant lacquers (also ceramic lacquers). Product recommended for fresh and old paint coatings. Easily removes scratches and traces after sanding paper. Silicone free, no filler.

unit amount	product number
1 KG	11216



BRAYT i1 LIQUID POLISHING COMPOUND

Universal polishing compound suitable for all types of coatings. Quickly eliminates sanding marks and signs of wear guaranteeing obtainment a perfect coating. Contains high quality polishing materials which guarantees quick effect in one step process. Because of optimized bonding does not warm-up surface during polishing.

unit amount	product number
500 g	11212
1 KG	11211
4,6 KG	11213



BRAYT i11 CUT POLISHING COMPOUND

Polishing compound recommended to use on surface with a high toughness degree. Suitable also for goods in which the outer layer is gelcoat or industrial topcoat. In one step process allows to eliminate defects and sanding marks after P1200 sanding paper. Product has high cutting power and obtaining appropriate gloss. Proper for manual and mechanical work.

unit amount	product number
1 KG	11218



BRAYT i11 POLISHING COMPOUND

Polishing compound dedicated to PE and PU lacquers and aqueous lacquers, for use in furniture industry. Easy to use, ensures the surface in perfect condition, without hidden defects and false shine. Allow to quickly remove sanding traces. Because of high quality polishing minerals it's enable to obtain high gloss without excessive heating of the surface. Doesn't contain wax fillers or silicone.

unit amount	product number
1 KG	11217
4,5 KG	11541



BRAYT i2 FINISHING COMPOUND

Finishing compound designed to use on all kind of lacquers, eliminating polishing marks and guaranteeing perfect mirror shine. High quality polishing minerals ensure flawless, hologram free effect. Optimized ratio solid content and binder guarantee clean work place. After the polishing process remains of the product are easily to remove.

unit amount	product number
1 KG	11214



BRAYT i3 CLEAN & PROTECT SPRAY

Clean and protect spray is designed to all types of paint (including HS, 2K, acrylic, nitro, synthetic, traditional clear coat and anti-scratch) plastic, rubber, dashboard, glass, gelcoat etc. Polishing leaves an excellent and protected finish including delicate colors. Perfect for removing traces of abrasive compound, haze etc. Operates as anti - static there by creating additional protection.

unit amount	product number
500 ml	300007799

POLISHING WOOLS



POLISHING LAMBSWOOL „D” YELLOW

Professional polishing pad made from 100 % natural lambswool. High quality applicator designed to remove defects and refresh very hard surfaces as ceramic lacquer, gel coat, industrial paints cured by UV. Product is suitable to use in automotive, furniture and composites.

size	product number
ø 130 mm	300006472
ø 150 mm	300005556
ø 180 mm	300005555



POLISHING LAMBSWOOL „MM” WHITE

Professional polishing head made of 100% natural lambswool. Especially designed to remove defects after abrasive paper, operating dulling etc. For best finishing after P1200 – P1500 abrasives. High performance, elasticity, very stable working temperature. Product can be used in automotive, furniture and composites.

size	product number
ø 80 mm	300006473
ø 150 mm	300005558
ø 180 mm	300005557



PROFESSIONAL POLISHING WOOL

Professional polishing wool pad (8 mm length of the nap) in 100% natural based on the polyurethane foa , designed for the polishing and finishing using a rotary polisher.

size	product number
ø 150 mm	300007652



ONE SIDE POLISHING WOOL

100% natural wool polishing pad. Ideal for removing scratches and mates on the large surfaces. Perfect for PU topcoats and gelcoats.

size	product number
ø 200 mm	300006613



DOUBLE SIDE POLISHING WOOL

Made of 100% natural wool. Recommended to polish gelcoats, PU topcoats and other lacquered surfaces. Supplied with mounting adapter for polishing machine (thead M14).

size	product number
ø 220 mm	300006614



POLISHING WOOL BALL

Polishing ball made of 100% natural wool. Perfect for polishing hard to reach places, the corners, edge etc. Ideal tool for polish gelcoats and PU topcoats.

size	product number
ø 80 mm	300006619

POLISHING FOAMS



POLISHING FOAM WHITE „PROFI”

Hard polishing foam made of polyurethane innovative foam, decreasing effect of overheating the surface, perfectly works with polishing compounds and finishing compounds.

size	product number
∅ 80 x 30 mm	300007281
∅ 150 x 30 mm	300005933
∅ 180 x 30 mm	300007260



POLISHING FOAM RED „FINISH”

Polishing foam made of foam designed for the new generation of polishing and protective coating. Perfectly works with emulsions, lotions and waxes giving a perfect surface quality.

size	product number
∅ 80 x 30 mm	300007282
∅ 150 x 30 mm	300005934



POLISHING FOAM WITH CUTS white

Polishing foam with square shaped cuts, recommended to final polishing of lacquered surfaces. Perfect removes all traces after pre-polishing. Product is provided with hard stabilizing spacer and strong velcro, what ensures stable, strong mounting.

size	product number
∅ 135 x 25 mm	300007992
∅ 180 x 25 mm	300007990



POLISHING FOAM WITH CUTS grey

Polishing foam with square shaped cuts, recommended to final polishing of lacquered surfaces. Perfect removes all traces after pre-polishing. Product is provided with hard stabilizing spacer and strong velcro, what ensures stable, strong mounting.

size	product number
∅ 135 x 25 mm	300007993
∅ 180 x 25 mm	300007991



POLISHING & FINISHING PAD

Opened cell pad for final polishing. It can be used to remove holograms and small surface defects.

size	product number
∅ 230 mm	300007873



BACKING PLATES



YELLOW – BLACK UNIVERSAL

Standard backing plate with elastic edge.
Threat: M14

size	product number
ø 120 mm	300005879
ø 150 mm	300005880



RED „SOFT”

Backing plate with elastic and soft spacer recommended to polishing surface with lots of overpress.
Threat: M14

size	product number
ø 120 mm	300005881
ø 80 mm	300007933



YELLOW „FLEXI”

Thanks to its flexible construction, the applicator is easy to work with and access to hard-to-reach areas of polishing sites.
Threat: M14

size	product number
ø 180 mm	300006474



RED „THIN”

Backing plate with thin flexible part for free polishing on big kind of surfaces.
Threat: M14

size	product number
ø 150 mm	300007932

MICROFIBER CLOTHS



Red (40 x 40 cm)
recommended to hand polishing.

product number 300005575

Grey (40 x 40 cm)
perfect for finishing.

product number 300005573

Dark grey / yellow hem (40 x 40 cm)
ideal for window panels.

product number 300007651

Dark grey / red hem (40 x 60 cm)
for general use, suitable for polishing and removal residua of polishing compounds.

product number 300007649

Yellow (40 x 40 cm)
perfect for waxes.

product number 300007650

White (40 x 60 cm)
for drying and cleaning all kind of surfaces.

product number 300007648



SPEC SPRAY FILLER white

Spray primer designed to fill small irregularities in surface of metal, aluminum and wood. Product has anticorrosive properties. After drying product is suitable for re-spraying with all lacquer systems including 1-K and 2-K acrylic lacquers, alkyd resin and nitro cellulose.

unit amount	product number
400 ml	300007902



SPEC SPRAY ZINC - ALU

Zinc - Alu spray designed for repair zinc - plater surfaces and surfaces matched in colour. Suitable also to use on others blank metals. Product has excellent anti-corrosive properties. Can be applied on surfaces which have been damaged by drilling, grinding, transporting or welding.

unit amount	product number
500 ml	300006058



SPEC SPRAY ZINC - ALU "NEW FORMULA"

High quality spray paint recommended for repair small damages on surface galvanized by immersion. Fast drying product with excellent adhesion and covering properties. Resistant to fading and UV rays.

unit amount	product number
500 ml	300007175



ALUMINUM PAINT & ZINC - ALUMINUM PAINT

Anticorrosive one-component vinyl paint, designed for decorative and anti-corrosion painting of clean or rusted surface. Specially selected binder provides very good adhesion to the surfaces such as zinc steel, galvanized steel, aluminum and plaster. After dry creates elastic coating fully resistant against weather condition. Aluminum paint is pigmented with aluminum dust, whereas aluminum - zinc paint contains additionally zinc dust.

unit amount	product number
Aluminum paint	
1 L	300007834
Zinc - Aluminum paint	
1 L	300007835



POLYESTER PUTTY SPEC UNIVERSAL

The most standard filling polyester putty designed for spot repair. Product is characterized by very good adhesion to metal, wood and glass fibre. Extended pot life to 10 minutes and increased thixotropy makes putty easy to use.

unit amount	product number
4,5 KG	6744



POLYESTER PUTTY SPEC LONG LIFE

High-quality polyester putty with extended pot life up to 30 minutes. For use on extensive surfaces and to work at elevated temperature. Perfect for filling railway wagons, buses, sea containers, etc. The consistency of putty has been specially designed to achieve easy application properties, and more over putty do not trickled down after applying a thick layer. In addition, the cured material has sufficient flexibility and are easily processed.

unit amount	product number
4,5 KG	6045



POLYESTER PUTTY SPEC LONG LIFE HV

High-quality polyester putty with extended pot life up to 1 hour 20 minutes. For use on extensive surfaces and to work at elevated temperature. Perfect for filling railway wagons, buses, sea containers, etc. The consistency of putty has been specially designed to achieve easy application properties, and more over putty do not trickled down after applying a thick layer. In addition, the cured material has sufficient flexibility and are easily processed.

unit amount	product number
4,5 KG	11563



POLYESTER PUTTY SPEC HIGH TEMP

Very High quality two component polyester putty with increased resistance to high temperature even at 200°C. Partially conductive electric charge mainly used for surface treatment in preparation for painting of the powder. The product has the flexibility and very good adhesion to various substrates, after appropriate preparation.

unit amount	product number
0,5 KG	6885
4,5 KG	6890

DISTRIBUTOR STAMP



TROTON Sp. z o.o.
POLAND 78-120 GOŚCINO, ZABROWO 14A
TEL./FAX +48 94 351 23 94, +48 94 351 26 22
troton@troton.com.pl

www.troton.pl